




Power Generation

# GRID-SCALE ENERGY STORAGE SOLUTIONS

The future of renewable energy for utility services



A Rolls-Royce  
solution




## MAXIMUM SYSTEM RELIABILITY AND SCALABILITY

As utility networks worldwide continue to add more renewable energy, our grid-scale battery energy storage system (BESS) helps to stabilize the grid. Combined with the **mtu** EnergetIQ Manager, it efficiently stores and dispatches energy by bringing together high-quality hardware, intelligent software and unparalleled service.

We help to reduce life cycle costs and offer reliable energy solutions for energy suppliers and developers. Make a smart investment in the future of energy with our innovative solutions.

### Effortless integration into electrical power systems

Store energy from renewable sources during periods of excess and discharge it when you need it the most. The BESS prevents unanticipated shutdowns due to an unreliable energy supply, or grid congestion caused by high demand for power.



### Your grid-scale storage solution

Our **mtu** EnergyPack QG enables the effective integration of a high level of renewables, solar or wind, in energy systems.

The scalable design is optimized for front of the meter grid-scale battery energy storage systems with typical storage capacity ranging from around 8.9 MWh to 100 MWh and more.

## SUSTAINABLE POWER THAT MATTERS


The Power Systems Business Unit of Rolls-Royce is focused on creating sustainable, climate-neutral solutions for drive, propulsion and power generation. We are making a significant contribution to the energy transition with environmentally-friendly technologies from our **mtu** product and solution brand. As leaders in standby power for safety-critical plants and in integrated drive and propulsion systems for ships and heavy-duty land vehicles, our customers know they can depend on us, and have been doing so for over 110 years.

# mtu ENERYPACK QG

The **mtu EnergyPack QG** is comprised of standardized modules that facilitate flexible system configurations of any scale. Comprising five essential components – battery racks or containers, a power conversion system, a medium voltage skid, an auxiliary power transformer with a subdistribution board, and the **mtu EnergetIQ** Asset Controller – it offers comprehensive solutions for diverse energy needs.

To accommodate various project requirements, the **mtu EnergyPack QG** is available in two primary variants. The first variant is tailored for large-scale systems exceeding 50 MW (depicted in picture 1), while the second variant caters to smaller systems, scalable up to 50 MW (illustrated in picture 2). This distinction ensures optimal on-site integration, empowering users to select the configuration best suited to their specific energy demands.


## mtu EnergetIQ base unit for systems larger than 50 MW



**STORAGE CAPACITY** 2 to 8 Battery containers per two inverters  
7.44 to 32.6 MWh

**(DIS-)CHARGE POWER** 2 Inverters  
1 MV skid  
7.4 – 8.8 MW

## mtu EnergetIQ base unit for systems up to 50 MW




10 to 24 Battery containers per inverter  
4.1 to 8.9 MWh

1 Inverter  
1 MV skid  
2.2 - 4.4 MW

# UNLIMITED SCALING MEETS PROJECT-SPECIFIC NEEDS

The **mtu EnergyPack QG** is the battery energy storage system designed for grid-scale applications.



A complete plant design will consist of multiple base units, like the two different variants on the left. Each base unit is designed for 3.7 - 8.8 MVA nominal charge and discharge power, and up to 32.6 MWh nominal capacity. Each battery rack or container has integrated control, fire suppression and liquid cooling

and heating systems. As standalone operational units, and due to their modular design, each building block can be easily replaced in case of failure, ensuring reliable operation with the highest availability of your energy storage capacity.

### Key features based on industry-leading technology



**Highest level of safety and reliability**  
– Protection level IP54  
– Insulation monitoring device  
– Aerosol fire protection system



**Long service intervals and life cycle**  
– Market leading supplier of LFP batteries and inverters  
– Liquid cooling system lowers cell temperature deviations, allows longer lifetime and higher energy density  
– Low maintenance



**Simple integration for minimal installation risk and time**  
– Flexible tailoring of base units, scalable to project-specific power and capacity needs  
– Modular design and high energy density footprint  
– Easy assemble after transportation



**Excellent performance for the most demanding grid-scale applications**  
– Minimal downtime, fast charge and discharge rates  
– Ultrafast (ms) response and load acceptance, ideal for frequency regulation services  
– Standardized and modular for economic design  
– System voltage of up to 1,500 V increases operating efficiency



**Intelligent control platform **mtu EnergetIQ** for optimal performance and flexibility**  
– Automated control of power generation, storage and demand for an optimized operation  
– Cloud data storage for performance analysis and optimization  
– Easy integration of assets  
– Monitoring of asset and system performance for a range of energy sources

# TECHNICAL DATA

The **mtu** EnergyPack QG based on one fully assembled base unit.

Sections	Value	<b>mtu</b> EnergyPack QG0.5
<b>System</b>	Cell chemistry	LFP
<b>Ambient conditions</b>	Minimum ambient temperature	-20°C (-30°C)
	Maximum ambient temperature	+40°C (+55)°C
	Humidity	< 95% non condensing
	Maximum operation altitude	≤ 1,000 m (≤ 2,000 m)
<b>Electrical</b>	AC short circuit capability	16 kA, 1 s; other options on request
	Grid frequency	50 / 60 Hz
	Power factor range	-0.5 .. 0.5; other options on request
	Black start capability	Optional
<b>MV-skid option</b>	Voltage	6.6 to 34.5 kV
<b>Interface</b>	Supported communication protocol	OPC-UA, Modbus TCP, other protocols on request

Note: values in parentheses ( ) are optional and might have an impact on derating.

## Standards

- System: IEC 62933-5-2, IEC 62485-5 IEC 61000-6-2, IEC 61000-6-4
- Power Conversion System: IEC 62477-1, IEC 62109-1
- Battery Rack: IEC 62619, UL 1973, UL9540A

# ALL KINDS OF SOLUTIONS FOR ALL KINDS OF PROJECTS

The **mtu** EnergyPack QG can be scaled in line with demand to cost-effectively maximize asset value.

## Utilities and grid service providers

Our **mtu** EnergyPacks take care of frequency regulation, manage grid congestion and help to avoid significant investment in grid infrastructure. Solar and wind power become more reliable and instantly switchable, while gas or diesel power plants operate more efficiently when combined with the **mtu** EnergyPack.



## Community

For local power generation, our **mtu** EnergyPacks increase the self-sufficiency of urban areas and provide reliable backup power. Areas not connected to the public grid can ensure high-quality power while integrating renewable energies to reduce their carbon footprint and reduce costs.

## Industry

Industrial operations that currently run on diesel power and are not connected to the grid can reduce their fuel consumption and meet legal and company environmental standards by integrating renewable sources with an **mtu** EnergyPack. Grid-connected operations can utilize an **mtu** EnergyPack to reduce the power draw charges, increase own-use consumption of existing onsite generation and mitigate rising energy costs.



# WIDE RANGE OF TARGET APPLICATIONS

The **mtu** EnergyPack's industrial design is built for the most demanding applications. The system is highly configurable to meet your operational requirements and can be scaled in line with demand to cost-effectively maximize asset value.

## Energy shifting

The **mtu** EnergyPack stores excess energy from PV systems or any other generation source in the grid for use at a later time (e.g. peak shaving, load shifting).

## Energy trading

In combination with the **mtu** EnergetIQ Manager, the system facilitates participation in the higher level electricity markets in front of the electric metering point. In deregulated electricity markets, revenues can be generated by trading in wholesale markets e.g. day-ahead or intraday markets.

## Frequency regulation and power balancing

Our solution monitors the grid and ensures an instantaneous active and reactive balance between load and generation to help stabilize the frequency of the network (ancillary services).

## Reactive power and voltage regulation

The power electronics part of the **mtu** EnergyPack contributes to the voltage regulation of the grid and provides reactive power support to the network.


## Performance optimization

The combination of the above functionalities enables the integration of large amount of renewable energy, lowers the cost of conventional energy generation systems, and provides high quality and reliable power in on-grid applications.

## Transmission and distribution support

Grid-scale energy storage solutions supply enough capacity to defer or eliminate the need to upgrade grid infrastructure. This enables grid congestion management.

## We address your needs with a comprehensive BESS portfolio



## REFERENCE PROJECT: SEMPERPOWER

One of our **mtu** EnergyPack QG systems is the largest battery storage facility in the Netherlands at the time of commissioning and one of the largest in the EU, providing a comprehensive EPC turn-key solution.

**Description:** Battery storage for frequency control and arbitrage

**Location:** Vlissingen, NL

**Customer:** SemperPower

**Scope:** **mtu** EnergyPack QG including: 168 battery racks, DC/AC inverters, transformers 690 V / 11 KV, **mtu** EnergetIQ Manager. EPC: construction, grid connection building, site facilities, road, fencing, and civil works including: logistics, project management, quality control and HSE supervision. Mechanical and electrical installation, commissioning and testing.

**Installed capacity:** 30.7 MW / 62.6 MWh, 0.5 C, 690 V / 11 KV

**Timeline:** December 2022 - February 2023 / Commissioning August 2023

### Takeaways:

- Our project scope includes the supply and installation of a large-scale battery storage system on a turnkey basis to the Dutch energy company SemperPower in Vlissingen.
- The order includes general contractor services, as well as the construction of the building and other infrastructure.
- Main applications: grid frequency regulation in the Netherlands to integrate electricity from renewable energy sources into the public grid.
- When fully charged, the system has the capacity to supply 8,000 households with electrical energy for an entire day.
- Solution consists of 168 battery units, 7 inverters and the intelligent control platform **mtu** EnergetIQ.

“We see it as our task to accelerate the energy transition. We do this by using energy storage systems that store sustainable energy in times of surplus and release it when the market needs it. We are delighted to have found Rolls-Royce as a partner who, with its high-quality solutions, is pulling in the same direction as us.”

Dennis Schiricke, CEO SemperPower B.V.

# GLOBAL TRACK RECORD

Our expertise and experience have enabled us to achieve a proud track record and to continuously improve product performance.

5  
continents

39  
countries


>190  
MWh installed



- 1 *mtu*-certified technicians
- 2 Lifetime-Based Overhaul (LTBO)
- 3 Factory reman solutions
- 4 Complete life-cycle support


# STRONG SALES AND SERVICE PLATFORM ACROSS THE WORLD

-  1,200 locations
-  180 countries
-  >350 service partners
-  4 customer care centres



# mtu ENERGETIQ: THE BRAIN OF YOUR POWER PLANT


The **mtu EnergetIQ Manager** optimizes your power plant's performance, by seamlessly integrating its diverse assets and automating the control of power generation, storage, and demand. With the **mtu EnergetIQ Asset Controller** you can easily control and monitor the functional-level of your **mtu EnergyPack**.



- mtu EnergetIQ Manager**
- SCADA for management, analysis and reporting of data
  - Group control
  - Power distribution
  - Integration of third party assets

- mtu EnergetIQ Asset Controller**
- Control, monitoring and protection
  - Asset data management

Offering	Characteristics
System-wide services	<ul style="list-style-type: none"> <li>– One common user interface for all different assets</li> <li>– Easy SCADA system integration and customization options</li> <li>– User management with audit trail to control and record access to plant manager and assets</li> <li>– IT security concepts according to project specific analysis</li> </ul>
Data management	<ul style="list-style-type: none"> <li>– Data acquisition of connected assets, switchgear and grid</li> <li>– SQL database with access by web-based query technology</li> <li>– Modular data analysis including correlation to external data</li> <li>– Data visualization and reporting with dashboards and interactive Jasper reports</li> </ul>
Functions	<ul style="list-style-type: none"> <li>– Real-time control, monitoring and protection</li> <li>– Asset health analytics</li> <li>– Multiple BESS and microgrid applications such as reserve power markets, trading, peak shaving, backup, self-consumption increase, sector coupling, etc.</li> <li>– Wide range of predefined and configurable layouts for trending and reporting</li> </ul>



All data on one screen, including assets such as gensets, BESS, photovoltaics and more.



- Comprehensive presentation of information
- System-wide states / alarms / relevant power data
- Individual, region-specific settings are available (colors and symbols)

# WE OFFER COMPLETE INTEGRATED SOLUTIONS

With our broad portfolio of sustainable energy solutions we meet your needs today and tomorrow.

The Power Systems Business Unit of Rolls-Royce provides a variety of services and complete life-cycle support under the product and solution brand **mtu**. Each can be individually designed to serve your

specific needs. BESS services include consulting, planning, financing, single-source supply of hardware and software, as well as installation and maintenance.



## Do you need support?

We are here to support you at every stage from design to installation and throughout the system's operational life.

Our team of experts will help you design a system that meets your project goals and maximizes your site's potential.

- Overall system evaluation and design support from project development through project closing
- Detailed hardware and software engineering including integration of existing power generation units
- Delivery and commissioning of the energy storage solution
- Training of local operator and maintenance staff
- Remote technical support and monitoring during operation

[www.mtu-solutions.com/powergen](http://www.mtu-solutions.com/powergen)





Follow us for our latest news  
and energy solutions: @mtusolutions



Rolls-Royce Group  
[www.mtu-solutions.com/powergen](http://www.mtu-solutions.com/powergen)

The Rolls-Royce name, Rolls-Royce badge and Rolls-Royce monogram logos are registered Trade Marks of Rolls-Royce plc